



Improvements in Fresh Cut Cheese Wrapping



More and more retail outlets are offering fresh-cut cheese wedges and pieces wrapped in PVC or PE that are packaged at a central commissary, a co-packer, a distributor or directly at the store. These cuts may retain the original branding or take on a private label.

Sealed Air offers the perfect systems solution, equipment and film, that provides the following advantages:

- Reduced labor with automation (up to 80%)
- Elimination of PVC (polyvinyl chloride)
- Source reduction (40 to 60% typical)
- Consistent package appearance
- Improved ergonomics and employee safety
- Enhanced food safety
- No plastic taste transferrence from a "sealing" heat plate
- Shelf ready product at the store
 - product ready when needed
 - pre-weighed, pre-labeled



Equipment Solutions



Automation with Shanklin® A-26ADA Wrapper (30 ppm)

Standard Product Features:

- · Automatic Film Advance
- Automatic Product Transfer
- Adjustable Height Seal Jaws
- · Adjustable Inverting Head
- EZ Load Film Unwind
- General Purpose Pin Perforator

- Hot Knife Seal Jaws one piece seal blade
- Programmable Logic Controller
- Quick Setup and Unload Selvage Winder
- · Removable Infeed Conveyor
- · Stainless Steel Construction
- USDA Approved

Shanklin® T-6HSS Tunnel

Standard Product Features:

- 10-inch High Passage Opening
- 18-inch Wide Passage Opening
- Automatic Temperature Control
- Controlled Air Flow
- Right- or Left-Mount Control Box

- Single Chamber Tunnel
- · Stainless Steel Mesh Belt
- Variable Speed Conveyor
- Stainless Steel Construction



Automation with Shanklin® F-1DA Wrapper (50 ppm)

Standard Product Features:

- Adjustable Inverting Head
- · Color Touch Screen
- Shanklin Sabre[®] Side Sealer with Hot Knife sealing module
- · Hot Knife or SmartWire End Seal Jaw
- Pin Perforator System w/Back-up Brush
- Quick Setup and Unload Selvage Winder
- Removable Washdown Polycord Infeed
- Stainless Steel Construction
- USDA-Approved

Shanklin® T-71SS Tunnel

Standard Product Features:

- 10-inch High Passage Opening
- 14-inch High Passage Opening Available
- 22-inch Wide Passage Opening
- Adjustable Air Flow Control
- Automatic Digital Temperature Control
- Front Mount Control

- High Speed Single Chamber Tunnel
- Stainless Steel Mesh Belt
- Variable Speed Conveyor
- Stainless Steel Construction
- Short Package Transfer, Idler, Tunnel Infeed, T-71



Labor Costs of Hand-Wrapping vs. Central Processing

	Hand Wrapping w/3 labor units @ 2 ppm	Shanklin [®] A-26ADA w/1 labor unit @ 30 ppm	Shanklin [®] F-1DA w/1 labor unit @ 50 ppm
Capacity (per 8 hrs & 55 min hrs) in pcs	2,640	13,200	22,000
Labor cost per package (\$) @ \$12/hr	0.1091	0.0073	0.0044









Sealed Air has a full line of films that do not contain PVC, including our patented micro-layered CT films that perform like polyolefin films up to twice their thickness.

Distributed by:



Shrink Packaging 100 Rogers Bridge Road Duncan, SC 29334 866-773-4567 Fax: 864-433-2019 www.shrinkfilms.com

Our Products Protect Your Products®

Corporate Offices: Sealed Air Corporation
200 Riverfront Blvd, Elmwood Park, NJ 07407 www.sealedair.com
® Reg. U.S. Pat. Off. © Sealed Air Corporation 2012. All Rights Reserved. Printed in the USA.
The "9 Dot Logo" and "Sealed Air" are registered trademarks of Sealed Air Corporation (US).